

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| L1 | 19 | (sanit\$3 censor\$3) near3 convert | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 17:55 |
| L2 | 97542 | (sanit\$3 censor\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 17:55 |
| L3 | 40 | (sanit\$3 censor\$3) near3 (pdf word html) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:00 |
| L4 | 12 | 3 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:36 |
| L5 | 1680 | (sanit\$3 censor\$3) near3 (format type) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:00 |
| L6 | 1 | (sanit\$3 censor\$3) near3 (format type) near3 (replac\$3 convert\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:35 |
| L7 | 178 | (sanit\$3 censor\$3) near3 (message information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:35 |
| L8 | 68 | 7 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:55 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| L9 | 145 | 713/152.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:52 |
| L10 | 1702 | "19" and (sanitiz\$3 chang\$3) same (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:49 |
| L11 | 7 | 9 and (sanitiz\$3 chang\$3) same (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:49 |
| L12 | 0 | 9 and (identify\$3 pars\$3 detect\$3) near3 (element word) near3 (restrict\$3 unwant\$3 sensitiv\$3 secur\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:49 |
| L13 | 4 | 9 and ((identify\$3 pars\$3 detect\$3) same (element word) and (restrict\$3 unwant\$3 sensitiv\$3 secur\$3)) same (replac\$3 chang\$3 alter\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:52 |
| L14 | 330 | 726/27.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:53 |
| L15 | 16 | 14 and (sanitiz\$3 chang\$3) same (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:53 |
| L16 | 0 | 14 and ((identify\$3 pars\$3 detect\$3) near3 (element word) near3 (restrict\$3 unwant\$3 sensitiv\$3 secur\$3)) same (replac\$3 chang\$3 alter\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:54 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| L17 | 15636 | "380"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:57 |
| L18 | 261 | 17 and (sanitiz\$3 chang\$3) same (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:54 |
| L19 | 49 | 17 and (sanitiz\$3 chang\$3) near3 (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:56 |
| L20 | 29 | 19 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:55 |
| L21 | 1 | 17 and (sanitiz\$3 censor\$3) near3 (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:56 |
| L22 | 232 | "380"/252.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:57 |
| L23 | 1 | 22 and sanitiz\$3 near4 (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:57 |
| L24 | 1 | 23 and (sanitiz\$3 chang\$3) same (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:58 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| L25 | 0 | 22 and ((identify\$3 pars\$3 detect\$3) near3 (element word) near3 (restrict\$3 unwanted\$3 sensitiv\$3 secur\$3)) same (replac\$3 chang\$3 alter\$3) same analyz\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:58 |
| S2 | 2 | sanitiz\$3 near4 (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:57 |
| S3 | 13 | sanitiz\$3 same (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 11:41 |
| S4 | 2355 | (sanitiz\$3 chang\$3) same (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:58 |
| S5 | 428 | (sanitiz\$3 chang\$3) near3 (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:55 |
| S6 | 38 | (sanitiz\$3 chang\$3)near3 (file document word information) near3 (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 11:59 |
| S7 | 5141 | (identify\$3 pars\$3 detect\$3) near3 (element word) near3 (restrict\$3 unwanted\$3 sensitiv\$3 secur\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:49 |
| S8 | 3 | (identify\$3 pars\$3 detect\$3) near3 (element word) near3 (restrict\$3 unwanted\$3 sensitiv\$3 secur\$3) same ((security multi secret) near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 12:09 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S9 | 887 | ((identify\$3 pars\$3 detect\$3) near3 (element word) near3 (restrict\$3 unwant\$3 sensitiv\$3 secur\$3)) same (replac\$3 chang\$3 alter\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:53 |
| S10 | 32 | ((identify\$3 pars\$3 detect\$3) near3 (element word) near3 (restrict\$3 unwant\$3 sensitiv\$3 secur\$3)) same (replac\$3 chang\$3 alter\$3) same analyz\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 18:58 |
| S11 | 16 | S10 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 17:56 |
| S12 | 56 | (identify\$3 detect\$3) near3 (restrict\$3 unwant\$3 sensitiv\$3 secur\$3) near3 word | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 12:29 |
| S13 | 27 | S12 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 12:33 |
| S14 | 874 | (identify\$3 detect\$3 determi\$3) near3 (security near2 level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 12:31 |
| S15 | 124 | ((identify\$3 detect\$3 determi\$3) near3 (security near2 level)) same (sanitiz\$3 modify\$3 replac\$3 alter\$3 chang\$3 delet\$3 remov\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 12:32 |
| S16 | 37 | S15 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 13:09 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S17 | 2 | security near2 level near3 dictionary | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 13:09 |
| S18 | 51 | security near2 level same dictionary | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 13:13 |
| S19 | 8 | S18 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 13:12 |
| S20 | 140 | sanitiz\$3 near3 (word information file data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 13:12 |
| S21 | 42 | S20 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 13:13 |
| S22 | 2 | S21 and security near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 13:20 |
| S23 | 1 | S21 and security adj level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 13:21 |
| S24 | 26 | S21 and level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 14:09 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S44 | 56 | identify\$3 near3 first near3 second near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 15:54 |
| S47 | 192 | identify\$3 near3 level same security | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 15:55 |
| S48 | 113 | identify\$3 near3 level near3 security | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 15:55 |
| S50 | 32 | S48 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 16:39 |
| S51 | 11 | (identify\$3 recogniz\$3 determin\$3) near3 level near3 security and sanit\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 16:42 |
| S53 | 32 | S50 and @ad<"20000629" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 16:44 |
| S54 | 3 | (identify\$3 recogniz\$3 determin\$3) near3 clearance\$3 near3 security and sanit\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 16:44 |
| S55 | 10 | clearance\$3 near3 security and sanit\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/25 17:52 |